## AMENDED APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of	filing in State Engineer's Office	AUG 2	1984				
		SEP 2	6.1984				
		OCT 4	1984				
Map filed		OCT 4	1984	······································			
	Pichard L and	Mangano	+ Canyon	<del></del>			
				David Mariabata			
	Route 2, Box 17 Street and No. or P.O. Box No.		, of	City or Town			
	Nevada 89045	, hereby	make ap	plication for permission to appropriate the public			
waters o				a corporation, give date and place of incorpora-			
tion; if a	a copartnership or association, give na	mes of men	nbers.)				
			•••				
	:	101	undone	cound source			
1. The	e source of the proposed appropriatio	n is	Name of	stream, lake, spring, underground or other source			
2. Th	e amount of water applied for is		0.1 CFS	cquals 448.83 gals. per min. second-feet			
3. The	e water to be used for	<del>-</del>	Quasi I	Municipal			
4. If u	ise is for:	tion, power, mir	ing, manufacti	ring, domestic, or other use. Must limit to one use.			
		e irrigated					
	Stockwater, state number and kinds						
(c)	Other use (describe fully under "No.	12. Remark	S''				
(d)	Power:						
	(1) Horsepower developed			<u></u>			
	(2) Point of return of water to stream	m					
5. The	e water is to be diverted from its sour	ce at the fol	lowing <del>p</del> oii	nt in the SE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> of Section 29,			
	T. 11 N., R. 43 E., M.D.B.	&M., who	ence the	W <sup>1</sup> <sub>4</sub> Corner of said Section 29			
surv	ey, and by course and distance to a section corn bears S. 82 <sup>0</sup> 13'50" W., at	er. If on unsurv a distan	reyed land, it s se of 1,	hould be so stated. 585.25 feet.			
	Place of use in the SE <sup>1</sup> / <sub>4</sub> SW <sup>1</sup> / <sub>4</sub> , SW <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub> of Section 20, NE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> , NW <sup>1</sup> / <sub>4</sub> , NE <sup>1</sup> / <sub>4</sub> , a portion  Describe by logal subdivision. If on unsurveyed land, it should be so stated.  of the NW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> , portion of the SE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> , and a portion of the SW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> of						
	35001011 23, all 111 1. 11 N	., N. 43	, M.D	.B. & M.			
			•••				
	·			······································			
7. Use	e will begin about January 1  Month and Day	and er	nd about	December 31, of each year.			
				535.010 you may be required to submit plans and			
spe	ecifications of your diversion or storag	e works.)	Drill c	ase and equip an underground well which water is to be diverted, i.e. diversion structure, ditches and			
	together with the necessar	s y piping	to deli	ver water through out the place of use.			
	cs, drilled well with pump and motor, etc.	000.00		· · · · · · · · · · · · · · · · · · ·			

Proof of completion of work shall be filed before.  Application of water to beneficial use shall be made on or before.  Proof of the application of water to beneficial use shall be filed on or before.  Movember 24, 198  Map in support of proof of beneficial use shall be filed on or before.  November 24, 198  Map in support of proof of beneficial use shall be filed on or before.  November 24, 198  November 24, 198  November 24, 198  Testimony whereof, I.  Petter G. Morros  State Engineer of Nevada, have hereunto set my hand and the my office, this. 24th day of October  Cultural map filed.  A.D. 1985  Certificate No  Issued.	·	l, describe works.	3 (three) years  If well complete	stimated time required to construct works	10. I
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or consumptive use.  It is contemplated to serve 10 (ten) family units, for an annual consumptive use of 5 (five) million gallons.  By s/ Wallace T. Boundy Agent P.O. Box 242 Tonopah, NV 39049  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions:  This permut is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permut will be dependent upon the amount of watertually placed to beneficial use. It is also understood that this right musts for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion accurate measurements must be kept of water placed to beneficial use. The tota meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Englaneer, pursuant to NRS 541.030. The State retains the right to regular the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress of completion of Work is filed. This source is located within an area designated by State Englaneer, pursuant to NRS 541.030. The State retains the right to regular the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress of completion of work in permit does not waive the requirements that the permit holder obtain other per		3 (three) years	on of water to beneficial use	stimated time required to complete the applica	11. 1
By S/ Wallace T. Boundy Wallace Y. Boundy Protested  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to existing rights. It is understood that the final mount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of wate actually placed to beneficial use. It is also understood that this right must for a reasonable lowering of the static water level. This well shall be equippy with a two (2) inch opening for measuring depth to water. If the well is flowing walve must be installed and maintained to prevent water. A totalizing meter musinstalled and maintained in the discharge pipeline near the point of diversion accurate measurements must be kept of water placed to beneficial use. The total neter must be installed before any use of water begins, or before the Proof of completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regular the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress of the proof of the water herein granted at any and all times.  The issuance of this permit does not waive the requirements that the permit noider obtain other permits from State, Federal and local agencies.  The issuance of this permit does not waive the requirements that the permit onder obtain other permits from State, Federal and local agencies.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial unot to exceed  Only and the permit of the permi				emarks: For use other than irrigation or stoc	12. I
By. s/ Wallace T. Boundy Wallace T. Boundy Wallace T. Boundy Agent P.O. Box 242 Tonopath, NV 89049 Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must close for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed before any use of water placed to beneficial use. The total neter must be installed before any use of water placed to beneficial use. The total neter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulat the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress or public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial unot to exceed.  On the amount of water to be engineer of well and the permit shall be filed on or before.  November 24, 198  Map in support of proof of beneficial use shall be filed on or before.  November 24, 199  Map in support of proof of beneficial use shall be filed on or before.	tive	or an annual consumpti	ten) family units, t	It is contemplated to serve 10	
By. 5/ Wallace T. Boundy Wallace T. Boundy Wallace T. Boundy Wallace T. Boundy Agent P.O. Box 242 Tonopah, NV 89049  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final matter right obtained under this permit will be dependent upon the amount of wast actually placed to beneficial use. It is also understood that this right must actually placed to beneficial use. It is also understood that this right must actually placed to beneficial use. It is also understood that this right must actually placed to beneficial use. It is also understood that this right must actually placed to beneficial use. The total recommendation of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing that the static water level is a subject to water in the shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing that the subject is installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed before must be dependent upon to defore the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534 (30). The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress of public, private or corporate lands.  This Permit does not extend the permittee the right of ingress and egress of public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit holder obtain other permi	•••••			use of 5 (five) million gallon	-
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must have must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion accurate measurements must be kept of water placed to beneficial use. The total extern must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regular the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress of public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permitholder obtain other permits from State, Federal and local agencies.  (CONTINUED N PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial unto to exceed.  0.1		Boundy Boundy Agent 42 V 89049	By s/ Wallace T. Wallace T. P.O. Box 2 Tonopah, N		•
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must have must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion accurate measurements must be kept of water placed to beneficial use. The total extern must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regular the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress of public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permitholder obtain other permits from State, Federal and local agencies.  (CONTINUED N PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial unto to exceed.  0.1					
following limitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must accurate measurements must be kept of water placed to beneficial use. The total meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regular the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress of public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use not to exceed  0.1 cubic feet per second, but not to exceed 3.0 million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  Application of water to beneficial use shall be filed on or before.  November 24, 198  Map in support of proof of beneficial use shall be filed on or before.  November 24, 199  Map in support of proof of beneficial use shall be filed on or before.  November 24, 199  Map in support of proof of beneficial use shall be filed on or before.  November 24, 199  November 24, 199  Map in support of proof of beneficial use shall be filed on or before.  November 24, 199  November 24, 199  November 24, 199  Nove		EER	OF STATE ENGIN	APPROVAL	
Work must be prosecuted with reasonable diligence and be completed on or before.  October 24, 198  Proof of completion of work shall be filed before.  Application of water to beneficial use shall be made on or before.  October 24, 198  Proof of the application of water to beneficial use shall be filed on or before.  November 24, 198  Map in support of proof of beneficial use shall be filed on or before.  November 24, 198  Completion of work filed.  IN TESTIMONY WHEREOF, I. PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the my office, this. 24th. day of. October.  Cultural map filed.  Certificate No.  Issued.  NECTUED.  SECAUSE OF FAMILIES.  State Engineer.	lizing the te on	icial use. The totalist before the Proof of an area designated by the right to regulate ingress and egress on ments that the permit gencies.	ater placed to beneft of water begins, or e is located within. The State retains any and all times. mittee the right of ot waive the require Federal and local a	ate measurements must be kept of must be installed before any use etion of Work is filed. This sour Engineer, pursuant to NRS 534.03 se of the water herein granted at This Permit does not extend the particle, private or corporate lands. The issuance of this permit does robtain other permits from State INDIED ON PAGE 2)	accur meter Compl State the u publi
Work must be prosecuted with reasonable diligence and be completed on or before.  November 24, 198  Proof of completion of work shall be filed before.  Application of water to beneficial use shall be made on or before.  October 24, 198  Proof of the application of water to beneficial use shall be filed on or before.  November 24, 198  Map in support of proof of beneficial use shall be filed on or before.  November 24, 198  Completion of work filed.  IN TESTIMONY WHEREOF, I. PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the my office, this. 24th. day of October.  Cultural map filed.  A.D. 1985  Certificate No.  State Engineer of Nevada, have hereunto set my hand and the my office, this. 24th. day of October.  State Engineer of Nevada, have hereunto set my hand and the my office, this. 24th. day of October.	65	but not to exceed 3.65	cubic feet per second.	exceed 0.1	not to
Proof of completion of work shall be filed before.  Application of water to beneficial use shall be made on or before.  Proof of the application of water to beneficial use shall be filed on or before.  Map in support of proof of beneficial use shall be filed on or before.  November 24, 198  Map in support of proof of beneficial use shall be filed on or before.  November 24, 198  November 24, 198  November 24, 198  In Testimony Whereof, I.  Peter G. Morros  State Engineer of Nevada, have hereunto set my hand and the my office, this.  24th day of October  Cultural map filed.  A.D. 1985  Certificate No.  State Engine	•••			on gallons annually.	milli
Proof of completion of work shall be filed before.  Application of water to beneficial use shall be made on or before.  Proof of the application of water to beneficial use shall be filed on or before.  Map in support of proof of beneficial use shall be filed on or before.  November 24, 198  November 24, 198  November 24, 198  IN TESTIMONY WHEREOF, I.  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the my office, this.  Proof of beneficial use filed.  A.D. 19-85  Certificate No.  Issued.  November 24, 198  November 24, 19	7	October 24, 1987	d be completed on or befor	must be prosecuted with reasonable diligence	Work
Application of water to beneficial use shall be made on or before  Proof of the application of water to beneficial use shall be filed on or before  Map in support of proof of beneficial use shall be filed on or before  November 24, 198  In Testimony Whereof, I. Peter G. Morros  State Engineer of Nevada, have hereunto set my hand and the my office, this 24th day of October  Cultural map filed.  A.D. 1985  Certificate No. Issued  November 24, 198  November 24,	87				
Proof of the application of water to beneficial use shall be filed on or before.  Movember 24, 199  Map in support of proof of beneficial use shall be filed on or before.  November 24, 199  Completion of work filed.  IN TESTIMONY WHEREOF, I. PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the  Proof of beneficial use filed.  Movember 24, 199  State Engineer of Nevada, have hereunto set my hand and the  my office, this. 24th day of October.  Cultural map filed.  A.D. 19-85  Certificate No. Issued.  State Engineer of Nevada, have hereunto set my hand and the  State Engineer of Nevada, have hereunto set my hand and the  Movember 24, 199  November 24, 199  November 24, 199  State Engineer of Nevada, have hereunto set my hand and the  Movember 24, 199  November 24, 199  Nov					
Map in support of proof of beneficial use shall be filed on or before.  November 24, 199  Completion of work filed.  IN TESTIMONY WHEREOF, I. PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the  my office, this 24th day of October  Cultural map filed.  A.D. 19-85  Certificate No. Issued.  State Engineer  November 24, 199  State Engineer of Nevada, have hereunto set my hand and the  MCELLED 218 (Rev.) FFB 6 1992					
Completion of work filed IN TESTIMONY WHEREOF, I. PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the  Proof of beneficial use filed my office, this 24th day of October  Cultural map filed A.D. 19-85  Certificate No. Issued State Engine					
Proof of beneficial use filed	<u> </u>	PETER G. MORROS	TESTIMONY WHEREOF, I		
Certificate No. Issued A.D. 19-85  NCELLED 218 (Rev.) FFB 6 1992  State Engin				of beneficial use filed	Proof
Certificate No		y of <u>October</u>		l map filed	Cultur
NCETTED 218 (Rev.) FFB 6 1992 BECAUSE OF FAILURE APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT	_/_	II. When	A.D. 1003	ate NoIssued	Certific
APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT	1eer	State Engineer	FAILURE	ED 218 (Rev.) FFB 6 1992 BECAUSE	NCELI
			F PERMIT	CANT TO COMPLY WITH THE PROVISIONS	ARPL
STATE ENGINEER			NGINEER	Lad Jungales STATE	1/2

## Page 2

## (PERMIT TERMS CONTINUED)

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The total combined duty of water under Permits 16886, Certificate 5728, 18840, Certificate 6767, 40621, 40622, 41150, 41151, 41152, 47247, 47248 and 48264 shall not exceed 887.64 acre-feet annually.

The total combined diversion rate under Permits 16886, Certificate 5728, 18840, Certificate 6767, 40621, 40622, 41150, 41151, 41152, 47247, 47248 and 48264 shall not exceed 4.0 cubic feet per second.

and the state of